


| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|----------------|-----------------|------------------|---------|------------------|
| L1 | 348 | (706/47).CCLS. | USPAT; USOCR | OR | OFF | 2006/01/11 16:27 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|-------|------------------|---------|------------------|
| S7 | 2230 | event processing | USPAT | ADJ | ON | 2006/01/10 19:37 |
| S8 | 1121 | event handling | USPAT | ADJ | ON | 2006/01/09 18:31 |
| S9 | 4206 | transaction processing | USPAT | ADJ | ON | 2006/01/09 18:32 |
| S10 | 86 | situation assessment | USPAT | ADJ | ON | 2006/01/09 18:32 |
| S11 | 672 | event logic | USPAT | ADJ | ON | 2006/01/09 18:32 |
| S12 | 2 | event calculus | USPAT | ADJ | ON | 2006/01/09 18:32 |
| S13 | 211 | situation logic | USPAT | ADJ | ON | 2006/01/09 18:33 |
| S14 | 2 | situation calculus | USPAT | ADJ | ON | 2006/01/09 18:33 |
| S15 | 3 | situation reasoning | USPAT | ADJ | ON | 2006/01/09 18:33 |
| S16 | 6 | event reasoning | USPAT | ADJ | ON | 2006/01/09 18:33 |
| S17 | 39 | temporal reasoning | USPAT | ADJ | ON | 2006/01/09 18:34 |
| S18 | 0 | geographic reasoning | USPAT | ADJ | ON | 2006/01/09 18:34 |
| S19 | 0 | geographical reasoning | USPAT | ADJ | ON | 2006/01/09 18:34 |
| S20 | 2 | geographical logic | USPAT | ADJ | ON | 2006/01/09 18:34 |
| S21 | 0 | geographic logic | USPAT | ADJ | ON | 2006/01/09 18:34 |
| S22 | 1 | S7 and S10 | USPAT | ADJ | ON | 2006/01/09 18:39 |
| S23 | 30 | S8 and S10 | USPAT | ADJ | ON | 2006/01/09 18:35 |
| S24 | 0 | S9 and S10 | USPAT | ADJ | ON | 2006/01/09 18:35 |
| S25 | 4 | S9 and S11 | USPAT | ADJ | ON | 2006/01/09 18:39 |
| S26 | 50 | S8 and S11 | USPAT | ADJ | ON | 2006/01/09 18:43 |
| S27 | 0 | S8 and S12 | USPAT | ADJ | ON | 2006/01/09 18:37 |
| S28 | 4 | S8 and S16 | USPAT | ADJ | ON | 2006/01/09 18:42 |
| S29 | 5 | S8 and S17 | USPAT | ADJ | ON | 2006/01/09 18:42 |
| S30 | 0 | S8 and S20 | USPAT | ADJ | ON | 2006/01/09 18:38 |
| S31 | 0 | S13 and S20 | USPAT | ADJ | ON | 2006/01/09 18:38 |
| S32 | 0 | S13 and S17 | USPAT | ADJ | ON | 2006/01/09 18:38 |
| S33 | 0 | S10 and S17 | USPAT | ADJ | ON | 2006/01/09 18:39 |
| S34 | 2 | event calculus | USPAT | ADJ | ON | 2006/01/10 11:18 |
| S35 | 86 | situation assessment | USPAT | ADJ | ON | 2006/01/10 11:25 |
| S36 | 1 | situation assessment and state vector | USPAT | ADJ | ON | 2006/01/10 11:26 |
| S37 | 6 | event reasoning | USPAT | ADJ | ON | 2006/01/10 15:03 |
| S38 | 364 | event (simulation or simulator) | USPAT | ADJ | ON | 2006/01/10 15:09 |
| S39 | 2 | event (simulation or simulator) and event threshold | USPAT | ADJ | ON | 2006/01/10 15:13 |
| S40 | 82499 | method for determining whether a situation is true or false | USPAT | ADJ | ON | 2006/01/10 15:14 |

| | | | | | | |
|-----|-------|---|-----------------|-----|-----|------------------|
| S41 | 82499 | method for determining whether a situation is logically true or false | USPAT | ADJ | ON | 2006/01/10 15:15 |
| S42 | 0 | database of current thresholds | USPAT | ADJ | ON | 2006/01/10 15:15 |
| S43 | 0 | database of thresholds | USPAT | ADJ | ON | 2006/01/10 15:15 |
| S44 | 0 | event threshold database | USPAT | ADJ | ON | 2006/01/10 15:16 |
| S45 | 486 | event database | USPAT | ADJ | ON | 2006/01/10 15:16 |
| S46 | 103 | S41 and S45 | USPAT | ADJ | ON | 2006/01/10 15:16 |
| S47 | 1 | ("6208720").PN. | USPAT; USOCR | OR | OFF | 2006/01/10 19:37 |

[Sign in](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

[Advanced Search](#)
[Preferences](#)

WebResults 21 - 30 of about 1,420,000 for **database query locking conditions**. (0.35 seconds)**PostgreSQL: Documentation: Manuals: PostgreSQL 8.0: Transaction ...**In effect, a **SELECT query** sees a snapshot of the **database** as of the instant ...

WHERE class = 1, a predicate-locking system would forbid transaction B from ...

www.postgresql.org/docs/8.0/interactive/transaction-iso.html - 26k - [Cached](#) - [Similar pages](#)**PostgreSQL: Documentation: Manuals: PostgreSQL 8.1: Transaction ...**In effect, a **SELECT query** sees a snapshot of the **database** as of the ... because a serializable transaction cannot modify or **lock** rows changed by other ...www.postgresql.org/docs/8.1/static/transaction-iso.html - 20k - [Cached](#) - [Similar pages](#)**Open Source Native XML Database****Lock** Resource. 16. Add User. 17. Remove User. 18. Change Mod. 19. Change Owner.20. **Database** Shutdown. eXist provides a taskdef library for the Ant build ...exist.sourceforge.net/ant-tasks.html - 36k - [Cached](#) - [Similar pages](#)**D Locking and Isolation Levels**Different **database** systems support different **locking** and isolation levels. ...User 1 rereads the rows using the search **condition** and discovers rows that ...media.datadirect.com/download/docs/odbc/odbceref/locking.html - 13k - [Cached](#) - [Similar pages](#)**DevX.com Forums - XML files vs Database****database** > >takes care of concurrency for you, it is just up to you to designand > >performance test the transactional logic and test for **lock conditions**. ...forums.devx.com/showthread.php?t=4567 - 112k - [Cached](#) - [Similar pages](#)**Isolation and Database Locking (Enterprise JavaBeans)**This section explains isolation **conditions**, **database locking**, and transaction... **Queries** will include records added by other transactions after their ...www.unix.org.ua/oreilly/java-ent/ebeans/ch08_03.htm - 32k - [Cached](#) - [Similar pages](#)**Download MySQL 4.1.16 - MySQL - Multi-user and robust SQL database ...**Issuing STOP SLAVE after having acquired a global read **lock** with FLUSH ...Multiple **Database Query** Analyzer 2.1 supports queries with different types of dbs ...www.softpedia.com/get/Internet/Servers/Database-Utils/MySQL-4.shtml - 94k - [Cached](#) - [Similar pages](#)**ATTAC Consulting Group's Access Query & Recordset Tips**Multi-User **Query** and Record Set Issues. When moving your **database** application from a... If you are placing parameters and **conditions** on the record set, ...ourworld.compuserve.com/homepages/attac-cg/AqryTip.htm - 22k - [Cached](#) - [Similar pages](#)**Elsevier.com - Database****Conditions** 3.6 Some Advanced SQL Syntax The INTERSECT and EXCEPT Operators in... 9.1 Introductory Concepts **Query** Resource Utilization Gathering Statistics ...www.elsevier.com/wps/product/cws_home/680597 - 66k - [Cached](#) - [Similar pages](#)**Locking mechanism for the prevention of race conditions - Patent ...****Locking** mechanism for the prevention of race **conditions**, United States ...